N

FIRST FLOOR - REFLECTED CEILING PLAN

3/16" = 1'-0"

REFLECTED CEILING PLAN LEGEND

APPLIES TO DRAWING A9.1
REFER TO M, E & FP DRAWINGS FOR REFLECTED CEILING PLAN SYMBOLS NOT INDICATED BELOW

- A101 — SPACE NUMBER
- nn'-nn" — CEILING HEIGHT, AFF UNO
- INTERIOR APPLICATIONS: GYPSUM BOARD CEILING
- EXTERIOR APPLICATIONS: GYPSUM SOFFIT BOARD OR GYPSUM SHEATHING
- 2'-0" x 2'-0" LAY-IN ACOUSTICAL CEILING PANELS IN SUSPENDED GRID
- 1 HR RATED HORIZONTAL SHAFT WALL ABOVE ACP CEILING
- 1'-0" x 1'-0" ACT ON 3/4" FRT PLYWOOD ON CFSF-S SUSPENDED FRAMING
- AP — ACCESS PANEL
- WITH OPENING — EXTERIOR WALL
- WITH OPENING — INTERIOR WALL/PARTITION TO UNDERSIDE OF DECK
- WITH OPENING — INTERIOR WALL/PARTITION TO CAP ABOVE OR TERMINATES ADJACENT TO A RATED HORIZONTAL ASSEMBLY
- WITH OPENING — INTERIOR WALL/PARTITION 4" MIN ABOVE HIGHEST ADJACENT CEILING. IF NECESSARY TO ACHIEVE RESULTS DESIRED, EXTEND WALL HEIGHT SO WALL BRACING IS NOT EXPOSED TO VIEW IN FINISHED SPACES
- INTERIOR WALL/PARTITION TO UNDERSIDE OF CEILING
- EXISTING TO REMAIN. VERIFY VERTICAL EXTENTS WHERE THE HEIGHT IMPACTS THE WORK

REFLECTED CEILING PLAN/DETAIL GENERAL NOTES

A. ALL CEILING HEIGHTS SHALL BE 9'-0" AFF UNLESS INDICATED OTHERWISE.

B. DRAWINGS INDICATE GRID LAYOUT DIAGRAMMATICALLY. REFER TO SPECIFICATIONS FOR SPECIFIC GRID LAYOUT CRITERIA AT PERIMETER CONDITIONS THAT MAY DIFFER FROM GRID LAYOUT INDICATED ON DRAWINGS.

C. CENTER CEILING MOUNTED ITEMS WITHIN CEILING PANELS, UNLESS INDICATED OTHERWISE.

D. IF ADDITIONAL SPRINKLER HEADS ARE REQUIRED TO SATISFY CODE OR COVERAGE DENSITIES (OTHER THAN THOSE THAT MAY BE INDICATED), PROVIDE ADDITIONAL SPRINKLER HEADS AT NO ADDITIONAL COST AND OBTAIN APPROVAL OF ARCHITECT FOR LOCATION OF SUCH HEADS, IF ANY.

REFLECTED CEILING PLAN KEYNOTES

APPLIES TO DRAWINGS A9.1.1 - A9.1.n
REPRESENTED BY n

1. CFSF-S
2. 5/8" GYP BD, TERMINATE 4" ABV FIN CLG
3. FIN CLG: FINISH AND/OR HEIGHT AFF VARIES
4. GYP BD: EXTEND FULL HEIGHT, UNLESS INDICATED OTHERWISE
5. MINIMUM CLG HEIGHT INDICATED; MAXIMIZE THE CEILING HEIGHT TO GREATEST EXTENT AVAILABLE
6. EXIST PROPANE HEATING UNIT SHALL REMAIN - REFER TO MECH DWGS
7. GRAVITY VENT - REFER TO MECH DWGS

MOSELEYARCHITECTS
3200 NORFOLK STREET, RICHMOND, VA 23230
PHONE (804) 794-7555 FAX (804) 355-5690
MOSELEYARCHITECTS.COM

COMMONWEALTH OF VIRGINIA
MARY J. BELLETTI
Lic. No. 009147
10/15/2015
ARCHITECT

EVIDENCE STORAGE BUILDING

SMITHFIELD, VIRGINIA

PROJECT NO: 550322	DATE: OCTOBER 15, 2015
REVISIONS	
DATE	DESCRIPTION

REFLECTED CEILING PLAN

A9.1

10/16/2015 1:20:56 PM